


2022 Booth Specifications

Please review the following specifications to ensure that your booth display meets the requirements. If your booth does not meet these specifications, you must submit a rendering of your booth set-up to Show Management for approval.

All booths regardless of size, are required to follow these guidelines. To avoid additional costs (i.e design cost or tear down of an unapproved structure), please obtain written approval before beginning production or construction of your booth display.

Questions? Email JLC LIVE Operations Manager at Jordan.King@Informa.com



CANOPIES & COVERED/MULTI-LEVEL BOOTHS: Temporary installation of tents, awnings, or canopies require written approval from JLC LIVE Show Management and the Rhode Island Convention Center prior to **February 22, 2022**

DEMONSTRATIONS: When conducting demonstrations or presentations, all activity and viewers must be contained within the booth and all aisles must remain clear.

DISPLAY FLAGS: Branded company flags can **ONLY** be displayed in the back half of the booth and cannot be raised higher than 10' for In-line and Peninsula booths.

HANGING SIGNS: Hanging signs will **ONLY** be permitted in **Island, Split Island and Peninsula Booths** that are a **minimum of 400 sqft** at a max height of **20'** from the floor to top of sign. Signs may be hung from the ceiling (where permitted), trusswork or equipment and cannot exceed 20'. Hanging signs and graphics should be hung directly over the contracted space, centered. Signs and/or trusswork must be installed and dismantled by the designated Rigging Crew. Labor fees apply.

SOUND/MUSIC: Sound of any kind may not be projected outside the confines of the booth. Show Management reserves the right to determine if sound constitutes interference and must be discontinued.

UNFINISHED WALLS: All booth walls and signage should be finished out on ALL viewable sides. Should Show Management deem any side of the booth "unsightly" and/or it does not conform to the overall quality of the show, the exhibitor may be required to drape the backside of the display at the exhibitor's expense.

